Reduplication in Tigre (Rose 2003)

Johannes Englisch

englisch@studserv.uni-leipzig.de

Seminar "The Segmental Phonology of Ethiopian Semitic Languages"

1 Introduction

Phenomenon

Reduplication in Tigre frequentative verbs:

- Reduplication of exactly one consonant
- Affects the template of the verb
- Can be applied recursively up to three times

Outlook

Analysis: Frequentative is an infix accompanied by output requirements

2 The Data

2.1 Intensive Verbs

Observation

Intensive verbs have the same shape as type C verbs: (Cə)Ca:CəC

```
(1) A: məsl-az 'resemble' \rightarrow mazsəl-az 'resemble many people' B: məssəl-az 'give examples' \rightarrow mazsəl-az 'give many examples' C: mazsəl-az 'be diplomatic' \rightarrow *
```

Note

Type C verbs are excluded from this process.

2.2 The Frequentative

Observation I

In addition to a shape very similar to the intensive the frequentative involves *reduplication* of the penultimate consonant.

```
(2) kətb-a: 'write' \rightarrow kəta:təb-a: 'write a little' wəlləb-a: 'glance around' \rightarrow wəla:ləb-a: 'glance around once in a while'
```

Note

This form encodes diminutive, but is called 'frequentative', because the same form expresses frequentative in other Ethiopian Semitic languages.

Observation II

The frequentative can be applied to a very wide range of different verbs.

(3)Type C:

> barrək 'bless' \rightarrow bərarrək-ar 'bless a little'

Biliteral root:

ləff-ax \rightarrow ləfarfəf-ar 'pass back and forth' 'pass by'

Root with glide:

'mix' \rightarrow ləwa:wəs-a: 'mix a little' los-az

Quadliteral root:

dəngəs'-az 'become scared' \rightarrow dənəga:gəs'-a: 'become slightly scared'

Reduplicated root:

nəknək-a: 'shake in hysterics' \rightarrow nəkə<u>na:</u>nək-a: 'shake a little'

Observation III

In Tigre this reduplication process can be applied up to three times within the same root.

'tell, relate' (4)dəgm-az

> dəgazgəm-az 'tell stories occasionally' dəga:ga:gəm-a: 'tell stories very occasionally' dəga:ga:ga:gəm-a: 'tell stories infrequently'

Note

- Other Ethiopian Semitic languages have multiple reduplications with different morphemes; Muher and Chaha not at all.
- \rightarrow Rose (2003) attributes this to different rankings of the INTEGRITY constraint.
- INTEGRITY—"No Breaking" (5)

(McCarthy and Prince 1995: 124)

No element in S_1 has multiple correspondents in S_2 .

3 The Analysis

3.1 Precursor 1: Infix Hypothesis

Hypothesis

The frequentative is an infix [-Ca:-].

This hypothesis cannot derive that all frequentatives follow the same template:

(*dəgazgma-az) (6)'tell'

> wəlləb-az \rightarrow wəlazləb-az (*wəlazlləb-az) 'look both ways'

barrək-a
ı \rightarrow bərarrək-ar (*barrarrək-ar) 'bless'

3.2 Precursor 2: Template Hypothesis

Hypothesis

The frequentative has its own 'Type D' template.

Problem I

The frequentative template looks very similar to the template of quadliteral roots. This pattern would be just accidental.

(7) Perfective Imperfective/Jussive

Quadliteral məskər-a: li-məskir Frequentative dəqa:qəm-a: li-dəqa:qim

Problem II

One would need separate templates for triliteral and quadliteral roots:

(8) Triliteral: $C \ni C_i a : C_i \ni C$ Quadliteral: $C \ni C \ni C_i a : C_i \ni C$ -

Problem III

It would be very difficult to account for the repetition of reduplication.

3.3 Enriched Infixation

Hypothesis

The frequentative is an infix in the regular verb. The output form must meet the following requirements:

- (9) a. Template match
 - b. Root realisation
 - c. Frequentative realisation

Note

This rule refers to the *regular verb* as opposed to the root, so that other processes such as other reduplications can apply beforehand.

(10) a. /nk/ (underlying)

b. nəknək (total reduplication)

nəkəna:nək (frequentative)

Template Match

c.

The output of a frequentative must conform to the following shape:

(11) Perfective: CəCCəC Imperfective/jussive: CəCCiC

Question

Where does the template come from?

Answer

• There is no explicit 'frequentative template'

- 'The frequentative makes use of pre-existing templates used for other verb forms' (Rose 2003: 120)
- The choice of template is based on the number of consonants in the root.

Root Realisation

All root consonants must be present in the frequentative.

(12) Regular Frequentative /dwr/ dor-a: dəwa;wər-a:

Frequentative Realisation

Realise the reduplication so that frequentative can be distinguished from intensive forms:

(13) dəngəs' 'become scared' \rightarrow dən<u>a:</u>gəs' 'become very scared' \rightarrow dənəga:gəs' 'become slightly scared'

Question I

Why does the frequentative reduplicate only one consonant?

Answer

There are OT constraints penalising word-internal reduplication:

(14) a. Contiguity (cf. McCarthy and Prince 1995: 123)

The root forms a contiguous string.
b. Morphological Expression
Reduplication must be realised.

c. MAX_{B-R} (McCarthy and Prince 1995: 16) Every segment in the base has a correspondent in the reduplicant.

Example

I: gərəf RED+ax	МогрнЕхр	Contig	Max_{B-R}
r a. gəraxrəf		**	*
b. gərfa r rəf		***!	
c. gərəfarəf		***!*	
d. garrəf	*!	*	**

Question II

How do we know that reduplication is leftwards?

Answer

- Rightward reduplication would involve infixation of a non-syllable [a:C] before the final vowel.
- There are hints in the behaviour of other Ethiopian Semitic languages.

(15) a. Tigrinya gemination: bəddəl-ə bədaddəl-ə b. Chaha devoicing: səpər-ə-m \rightarrow səßəpər-ə-m

3.4 Further Restrictions

Observation I

Two gluttural consonants may not co-occur if they are separated by just a vowel:

(16) Type A Causative

a. k'ətla: ?a-k'təla: 'cause to kill'

b. ħadgaː 'at-ħadəgaː 'make leave'

Observation II

Reduplication in Frequentatives is *not* affected by this:

(17) ba?asa: 'fight' \rightarrow ba<u>?a:</u>?asa: 'fight a little' \rightarrow ba<u>:</u>?asa:

4 Examples

gərəf

(18)	/gərəf RED+aː/	Template	Root	Frequentative
		Match	Realisation	Realisation
	√ a. gə <u>rar</u> rəf	√	√	✓
	b. gə <u>rax</u> rrəf	*	\checkmark	\checkmark
	c. gə <u>?a:</u> rəf	\checkmark	\checkmark	*
	d. gər <u>ax</u> f	*	*	\checkmark

dəngəs'

(19)	/denges'	RED+ar/	Template	Root	Frequentative
			Match	Realisation	Realisation
	✓ a. dənə	gargəs'	✓	✓	\checkmark
	b. dən <u>a</u>	<u>rg</u> əs'	\checkmark	\checkmark	*
	c. də <u>na</u>	<u>r</u> nəgəs'	*	\checkmark	*

5 Conclusion

5.1 Summary

Data

(20)	a.	Reduplication:	barrək	\rightarrow	bə <u>rar</u> rək
	b.	Similarity to intensive:	dəngəs'	\rightarrow	dən <u>ar</u> gəs'
	c.	Changing template:	kətb	\rightarrow	kə <u>tar</u> təb
	d.	Recursive application:	kətartəb	\rightarrow	kətartartəb

Analysis

- There is a [Cax] infix
- ullet The infix imposes extra requirements onto the surface form
- The reduplication is aware of the regular form of the verb

5.2 How Problems Were Resolved

Infix Problem: The Verb Templates

Solution: The Template Match requirement overrides the verb template

Template Problem I: Similarity of Frequentatives with Quadliterals

Solution: 'The frequentative makes use of pre-existing templates used for other verb forms' (Rose 2003: 120)

Template Problem II: Multiple Templates for One Form

Solution: All verbs use the same mechanism for choosing templates.

Template Problem III: Recursive Reduplication

Solution: The whole infixation-reduplication cycle is simply repeated.

References

McCarthy, John J. and Alan Prince. 1995. 'Faithfulness and reduplicative identity.' Jill Beckman, Suzanne Urbanczyk, and Laura Walsh Dickey (eds.), *Papers in Optimality Theory*, *University of Massachusetts Occasional Papers in Linguistics*, vol. 18. Amherst, MA: GLSA, 249–384.

Rose, Sharon. 2003. 'Triple take: Tigre and the case of internal reduplication.' San Diego Linguistic Papers 1, 109–128.